



| Version: 1JLEM   |           | Revised: 02-16-2023 |        |     |       | HP  | RPM  | FRAME   | ENCLOSURE | IJA2100L1-4-B34A |     |     |  |
|--|-----------|---------------------|--------|-----|-------|-----|------|---------|-----------|------------------|-----|-----|--|
| Customer is responsible in determining that Max Motion product will fit/perform suitably in the intended application |           |                     |        |     |       | 3   | 1800 | 100L    | TEFC      |                  |     |     |  |
| A  | B         | C                   | D      | E   | F     | G   | H    | K       | L         | M                | N   | P   |  |
| 160  | 140       | 63                  | 28     | 60  | 8     | 24  | 100  | 12 X 16 | 380       | 130              | 110 | 160 |  |
| S  | T         | AA                  | AB     | AC  | AD    | AG  | BA   | BB      | DH        | EB               | ED  | GA  |  |
| M8   | 3,5       | 40                  | 196    | 190 | 152   | 109 | 39   | 172     | M10 X 22  | 50               | 5   | 31  |  |
| HA   | KK (1)    | KK (2)              | KK (3) | LB  | LD    | LL  |      |         |           |                  |     |     |  |
| 11   | M20 X 1.5 | 3/4" NPT            | -      | 320 | 143.5 | 109 |      |         |           |                  |     |     |  |