



Version: 2WTI		Revised: 26-01-2023		<b>HP</b>	<b>RPM</b>	<b>FRAME</b>	<b>ENCLOSURE</b>	<b>JPPP-JPQP-27</b>					
Customer is responsible in determining that MEP product will fit/perform suitably in the intended application				7.5	1800	213JP	TEFC						
<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>2E</b>	<b>2F</b>	<b>G</b>	<b>H</b>	<b>J</b>	<b>O</b>	<b>P</b>	<b>R</b>	
11.00	7.90	24.65	5.25	4.25	8.50	5.50	0.70	0.41	2.40	11.60	11.20	1.112-1.097	
<b>S</b>	<b>T</b>	<b>U</b>	<b>AA</b>	<b>AB</b>	<b>AH</b>	<b>AJ</b>	<b>AK</b>	<b>BA</b>	<b>BB</b>	<b>BC</b>	<b>BD</b>	<b>EL</b>	<b>EM</b>
0.252-0.250	1.90	1.2495-1.2490	1.00	9.00	8.125	7.25	8.500-8.497	4.25	0.312-0.250	0.25	9.00	1.750-1.748	1.3750-1.3745
<b>EN</b>	<b>EP</b>	<b>EQ</b>	<b>ER</b>	<b>ES</b>	<b>ET</b>								
1/2-13	1.77	2.390-2.360	8.156-8.094	2.53	5.890-5.860								